



Pacific Pump and Power

91-503 Nukunua Street
Kapolei, Hawaii 96707
Phone: (808) 672-8198 or (800) 975-5112
Fax: (866) 424-0953
Email: sales@pacificpumpandpower.com
Web: www.pacificpumpandpower.com

Pumps, Compressors & Generators
Rentals * Sales * Service * Operations
(808) 672-8198



Inspection Report

GENERAL

Serial Number: 04370002/29

Date: 01/27/2026

Unit Number: 1803

Engine Hours: 8324.8

Work Performed By: Jeremy

PUMP

End Play: X

Front Impeller Clearance: .020"

Impeller Condition: X

Volute Condition: X

Volute Drain Valve: X

Venturi Condition (Test): X

Priming Screen: X

Priming Hood and Ball: X

Mechanical Seal Oil: X

Front and Rear Bearing Box Seals: X

Bearing Box Grease: X

Bearing Box Grease Relief: X

Discharge NRV Ball and Seat: X

Vacuum Pad Test Running: 27 psi

Vacuum Pad Test Holding: 27 psi

1/4 Turn Valves: X

Remove Extra Venturi Hoses/Nipples: X

ENGINE

Air Filter: X

Crankcase Vent Tube: X

Valve Cover Gasket: X

Fuel Filter: X

Fuel Lines and Check Valve: X
Oil Filter Tight: X
Oil Lines: X
Oil Level and Condition: X
Oil Pressure: 71 psi
Fuel Level (circle): 4/4
Fuel Tank Condition: X
Radiator Condition: X
Coolant Level and Condition: X
Radiator Hoses: X
Belts: X
Battery and Wiring: X
Throttle Cable: X
Electrical System Cleaned: X
Dielectric Grease Electric Connections: X
Murphy Switch: NA
Test Alternator: X
Solenoid Fuse: X
Gauges: X
Rain Cap and Exhaust: X

COMPRESSOR

Oil Transfer Lines: X
Head Bolts: X
Foot Bolts: X
Air Transfer - Lines and Fillings: X
Coolant Hose and Fittings: X
Pop-Off Valve: X
Drive Belts: X
Air Filter: X
Test Compressor Pressure: 54 psi

HIGHWAY TRAILER

Tire Pressure: 50 psi
Tire and Lug Nut Condition: X
Wheel Bearings: X

Running Lights: NA
Jack Stands: X
Install Bearing Buddys: X
Wheel Stand: X
Braking System: NA
Hitch: X
Safety Chains: X
Paint Condition: X
Trouble Shooting Guide: X
Unit Numbers: X
Logos: X

Miscellaneous Notes

Ex.) loose bolts, missing parts, etc.:

Seal housing oil milky, running light and break away switch not working

Legend: X = Within Limits, N/A = Not Applicable